TECO TECO

PRECHECK



03/03/2023

We are pleased to inform you that our Precheck range has been enlarged with the new **Dynamic T-Check** model.



- Dynamic drive-thru pre-check for a quick check of vehicle geometry, combined with the analysis of the forces exerted by the wheels and tyre wear forecast
- No need for a dedicated operator
- The check is quick and can be carried out on all vehicles entering the workshop
- It will increase the sales opportunities of wheel alignment service.
- For cars and light duty vehicles

Functions:

- Immediate vehicle check result, thanks to the signal lights provided.
- Vehicle dynamic geometry check, including tyre wear prediction.
- Check of axle balance and assessment of vehicle dynamic drift.
- Post-adjustment check.








PRECHECK

SOFTWARE

New, complete and easy-to-use modern and professional graphic interface. The software is optimised for fast vehicle check. Various operating modes are available: possibility to perform quick quality check with forward test or a more in-depth quantity test with forward and reverse test.

Workflow can be optimised by selecting the vehicle from the database at the end of the check.

03/03/2023



Recommended accessories:

| CODE | DESCRIPTION | |
|------------|--|--|
| 8-34120000 | 27" LCD monitor | |
| 8-31100001 | NexRemote: tablet for equipment remoting | |
| 8-61200237 | A4 Inkjet Printer | |







03/03/2023

PRECHECK

| CODE | DESCRIPTION | |
|------------|--|--|
| 8-35100086 | Wireless remote control | |
| 8-35100084 | Ramp kit, for on-floor installation | |
| 8-35100088 | Enabling for local or remote reservation | |

Layout and technical specifications:

In-pit installation

On-floor installation with up and down ramps

| 1480 | 1 · · · | 1635 | 1480 | 1635 |
|-----------|-----------|------|--------------------------------------|------|
| ••• | | | - 1 | |
| | | | - | |
| | | | | |
| • · · · • | • 2480 | | *` - `` - `` - `` - `` - `` - `` - ` | |
| · · | • | | - - | |
| | | | | |
| | | | - - | |
| | | | | |
| •••• | | | | |
| | | | 4750 | |

For any further technical queries regarding the new product and the new accessories, please see the related brochure.



