

EXPORT CATALOGUE

MISCELLANEOUS *& Original Accessories*



EFFECTIVE FROM MARCH 2025
REL. MARCH 2025



AUXILIARY WHEEL LIFT	4
PARTNER 70	4
NITROGEN GENERATOR	5
TECO SA 301	5
TECO SA 501	5
TECO SA 1801	5
OPTIONAL ACCESSORIES	6
ELECTRONIC WHEEL WASHER	8
TECO LR400	8
TECO LR500	8
OPTIONAL ACCESSORIES FOR WHEEL WASHER	9
VULCANIZERS	11
TVP1	11
TVP2	11
TVP3	11
TVP4	12
TVP5	12
TVP5/L	12
OPTIONAL ACCESSORIES	13
TYRE TEST TANK	14
TL 18	14
TL 24	14
HEADLIGHT ALIGNERS	15
TECO HL 185	15
TECO HL 190 PLUS D	15
TECO HL 200 D	15
TECO HL 200 D R	15
AIR CONDITIONING SYSTEM DIAGNOSIS AND RECHARGE STATION	17
A/C 1100 SERIES	17
A/C 1105 SERIES	18
A/C 1600 SERIES	19
A/C 1605 SERIES	20
OPTIONAL ACCESSORIES	21

PARTNER 70

Battery-Operated Wheel Lifter - It helps to easily and safely demount, move and mount the wheels of cars, SUVs and LT vehicles weighting up to 70kg



Code		Description	
8-21100262/64		Partner70	

TECO SA 301 





TECO SA 501 

TECO SA 1801








Code	Power Supply	Description	
0-55601200/16	8-10 bar (116-145 psi)	TECO SA 301 Nitrogen generator with capacity 3,0 Nm ³ /h (3000 lit/h).	
0-55601300/16	8-10 bar (116-145 psi)	TECO SA 501 Nitrogen generator with capacity 5,0 Nm ³ /h (5000 lit/h).	
0-55602300/16	10-12 bar (145-174 psi)	TECO SA 1801 Nitrogen generator with capacity 18,0 Nm ³ /h (18000 lit/h).	

OPTIONAL ACCESSORIES


Image	Description	Code	
	WS Cyclonic condensate separator.	8-53600000	
	AT Pipes take-up.	8-55600001	
	PSG Professional inflating and deflating pistol.	8-55600002	
	EC Inflating and deflating pistol, pressure gauge BAR G 1/4".	8-11100362	

OPTIONAL ACCESSORIES

Image	Description	Code	
	EC Inflating and deflating pistol, pressure gauge BAR and PSI G 1/4".	8-51120007	
	NT Kit for measuring purity.	8-11600127	
	Filter Cartridges for SA 301 e SA 501.	8-55600023	
	Filter Cartridges for SA 1801.	8-55600024	
	Air contamination indicator	8-55600025	




TECO LR400 TECO LR500

STANDARD ACCESSORIES




Code	Power Supply	Description	
0-55600700/16	400V / 3Ph / 50Hz	TECO LR400 Electronic wheel washing machine with low-pressure water and plastic granules. For car, SUVs and van wheels, closed water cycle and electronically controlled water heating system. Washing tank in painted steel.	
0-55601000/16	230V / 3Ph / 50Hz	TECO LR400 Electronic wheel washing machine with low-pressure water and plastic granules. For car, SUVs and van wheels, closed water cycle and electronically controlled water heating system. Washing tank in painted steel.	
0-55600900/16 (USA/CANADA)	230V / 3Ph / 60Hz	TECO LR400 Electronic wheel washing machine with low-pressure water and plastic granules. For car, SUVs and van wheels, closed water cycle and electronically controlled water heating system. Washing tank in painted steel.	
0-55601500/16	400V / 3Ph / 50Hz	TECO LR500 Electronic wheel washing machine with low-pressure water and plastic granules. For car, SUVs and van wheels, closed water cycle and electronically controlled water heating system. Washing tank in stainless steel.	
0-55601600/16	230V / 3Ph / 50Hz	TECO LR500 Electronic wheel washing machine with low-pressure water and plastic granules. For car, SUVs and van wheels, closed water cycle and electronically controlled water heating system. Washing tank in stainless steel.	
0-55602159/16 (USA/CANADA)	230V / 3Ph / 60Hz	TECO LR500 Electronic wheel washing machine with low-pressure water and plastic granules. For car, SUVs and van wheels, closed water cycle and electronically controlled water heating system. Washing tank in stainless steel.	

OPTIONAL ACCESSORIES FOR WHEEL WASHER

Image	Description	Code	
 x2	RTP kit, replacing kit for drive roller.	8-55600026	
 x2	RSA kit, replacing kit for support roller.	8-55600027	
	Wheel lifter	8-51120005	

OPTIONAL ACCESSORIES FOR WHEEL WASHER

Image	Description	Code	
	Set of granules for filling (15kg).	8-51100063	
	Non-foaming liquid detergent , 10 lt.	8-55600010	
	VSS Ball faucet for water drainage.	8-55600019	
	RCS Elbow fitting for water drainage.	8-55600018	

TVP1



TVP2



TVP3



Code	Power Supply	Description	
0-51600310/16	230V/1Ph/50-60Hz	TVP1 with manual lever operated plate clamping	
0-51600320/16	230V/1Ph/50-60Hz	TVP2 With air-operated closing mechanism, to repair inner tubes and light weight tyres	
0-51600330/16	230V/1Ph/50-60Hz	TVP3 Strongly built and easy to use, ideal to repair inner tubes and light weight tyres 600W heating plate.	

TVP4



TVP5



TVP5/L



Code	Power Supply	Description	
0-51600340/16	230V/1Ph/50-60Hz	TVP4 Vulcanizer with double heating plate airoperated system to close the plates monitored by a pressure governor	
0-51600350/16	230V/1Ph/50-60Hz	TVP5 Vulcanizer with mechanically closed double heating plate.	
0-51600355/16	230V/1Ph/50-60Hz	TVP5/L Vulcanizer with mechanically closed double heating plate. Portable and easy to handle. Complete with 120 minutes timer. Two wide 600 W heating plates.	


OPTIONAL ACCESSORIES

Image	Description	Code	
	Support stand	805420833	

TL 18



TL 24



Code	Power Supply	Description	
0-51600200/40		TL18 Air-operated with 6/8 bar operating pressure, complete with wheel holder lifting and lowering control. Maximum wheel diameter 800 mm. Maximum wheel width 320 mm.	
0-51610200/40		TL24 Complete with air filter, air-operated with 8 bar operating pressure. Maximum wheel diameter 1300 mm. Maximum wheel width 500 mm.	



HL 185



HL 190 PLUS D



HL 200 D



HL 200 D R

Code	Power Supply	Description	
0-656009/16		HL185 analog headlight tester: base on 3 rubber wheels, fixed column, sliding optical chamber with shoe / brake, aluminum viewer with silk-screened mirror, optical box with Frenell lens and 3-scale analog luxmeter.	
0-656020/16		HL185 UK analog headlight tester with guide panel on the right: base on 3 rubber wheels, fixed column, sliding optical chamber with shoe / brake, aluminum visor with silk-screened mirror, optical box with Frenell lens and scale 3 analog luxmeter.	
0-65602301/16		HL185 R analog headlight tester: 3 wheels-base and double rail (4x1500 mm), sliding optical chamber with shoe / brake, aluminum viewer with silk-screened mirror, optical box with Frenell lens and 3-scale analog luxmeter.	
0-656012/16		HL200 D digital headlight tester : base on 3 rubber wheels, 50x50 revolving column with casing and spring, sliding chamber with shoe / brake, aluminum viewer with silk-screened mirror, optical box with Frenell lens and digital luxmeter.	
0-656018/16		HL200 D L2 UK digital headlight tester with guide panel on the right: base on 3 rubber wheels, 50x50 revolving column with casing and spring, sliding chamber with shoe / brake, aluminum viewer with silk-screened mirror, optical box with Frenell lens and digital luxmeter.	
0-65602501/16		HL200 D L2 digital headlight tester: base on 3 rubber wheels, 50x50 revolving column with casing and spring, sliding optical chamber with shoe / brake, dual aiming laser and optical box with Frenell lens and digital luxmeter.	
0-65602701/16		HL200 D R digital headlight tester: 4-wheels base and "V" rails (4x1500mm), 50x50 revolving column with casing and spring, sliding optical chamber with shoe / brake, aluminum visor with silk-screened mirror and optical box with Frenell lens and digital luxmeter.	
0-65602601/16		HL200 D L2 R digital headlight tester : 4-wheels base and "V" rails (4x1500mm), 50x50 revolving column with casing and spring, sliding optical chamber with shoe / brake, dual aiming laser and optical box with Frenell lens and digital luxmeter.	
0-656011/16		HL190 PLUS D digital headlight tester with innovative design: base on 3 rubber wheels, column divisible in half, roller sliding, aluminum mirror viewer, optical box with Frenell lens and digital lux meter.	
0-65602401/16		HL190 PLUS D LL R digital headlight tester with innovative design: 3-wheels base and "V" rails (4x1500mm), column divisible in half, roller sliding, aluminum aiming laser, optical box with Frenell lens and digital luxmeter.	
0-65602801/16		HL190 PLUS D L1 digital headlight tester with innovative design: base on 3 rubber wheels, column divisible in half, roller sliding, aluminum mirror viewer, lens-center laser pointer, optical box with Frenell lens and digital luxmeter.	
0-65602901/16		HL190 PLUS D L2 digital headlight tester with innovative design: base on 3 rubber wheels, column divisible in half, roller sliding, aluminum laser viewer, lens-center laser pointer, optical box with Frenell lens and digital luxmeter.	

A/C 1100 SERIES



Code	Electric supply	Description	
0-66500201/64	230V/1Ph/50-60Hz	A/C 1100 Air Conditioning recharging station, R-134a refrigerant only, manual and automatic functions, recovery-recycle-recharge, hybrid vehicle management, 192x64pixels LCD display, Wi-Fi/BT connection	
0-66500601/64	230V/1Ph/50-60Hz	A/C 1100P Air Conditioning recharging station, R-134a refrigerant only, manual and automatic functions, recovery-recycle-recharge, hybrid vehicles management, 192x64pixels LCD display, Wi-Fi/BT connection, printer included	

A/C 1105 SERIES



Code	Electric supply	Description	
0-66500301/64	230V/1Ph/50-60Hz	A/C 1105 Air Conditioning recharging station, R-1234yf refrigerant only, manual and automatic functions, recovery-recycle-recharge, hybrid vehicles management, 192x64pixels LCD display, Wi-Fi/BT connection	
0-66500701/64	230V/1Ph/50-60Hz	A/C 1105P Air Conditioning recharging station, R-1234yf refrigerant only, manual and automatic functions, recovery-recycle-recharge, hybrid vehicle management, 192x64pixels LCD display, Wi-Fi/BT connection, printer included	

A/C 1600 SERIES



Code	Electric supply	Description	
0-66500401/64	230V/1Ph/50-60Hz	A/C 1600 Fully automatic Air Conditioning recharging station, R-134a refrigerant only, manual and automatic functions, recovery-recycle-recharge, hybrid vehicles management, 7" 800x480pixels TFT-LCD RBG display, Wi-Fi/BT connection	
0-66500801/64	230V/1Ph/50-60Hz	A/C 1600P Fully automatic Air Conditioning recharging station, R-134a refrigerant only, manual and automatic functions, recovery-recycle-recharge, hybrid vehicles management, 7" 800x480pixels TFT-LCD RBG display, Wi-Fi/BT connection, printer included	

A/C 1605 SERIES



Code	Electric supply	Description	
0-66500501/64	230V/1Ph/50-60Hz	A/C 1605 Fully automatic Air Conditioning recharging station, R-1234yf refrigerant only, manual and automatic functions, recovery-recycle-recharge, hybrid vehicles management, 7" 800x480pixels TFT-LCD RGB display , Wi-Fi/BT connection	
0-66500901/64	230V/1Ph/50-60Hz	A/C 1605P Fully automatic Air Conditioning recharging station, R-1234yf refrigerant only, manual and automatic functions, recovery-recycle-recharge, hybrid vehicles management, 7" 800x480pixels TFT-LCD RGB display , Wi-Fi/BT connection, printer included	

OPTIONAL ACCESSORIES

Image	Descrizione	Codice	
	High/low pressure pipes kit, L=4,5 mt for, R1234yf refrigerant	8-66500010	
	High/low pressure pipes kit, L=4,5 mt, for R134a refrigerant	8-66500011	
	Leak detector with Nitrogen 2.2.	8-66500209	
	Leak detector kit including UV lamp and glasses only.	6019000305	



NEXION SPA - ITALY -

AUTOMOTIVE EQUIPMENT www.tecoautomotive.com - teco@teco.it

Sede operativa: Via Dinazzano, n. 4 - 42015 Prato di Correggio (RE) ITALY - Tel.: +39 0522 631562 - Fax +39 0522 642373

Cod. DPTC000194 ME_EX_03_2025