

EXPORT CATALOGUE

WHEEL BALANCERS ***& Original Accessories***



EFFECTIVE FROM MARCH 2025
REL. MARCH 2025

COLOR TABLE

Standard		RAL 3002	Red	→ /16
Optional		RAL 1007	Yellow	→ /40
Optional		RAL 5015	Blue	→ /25
Optional		RAL 9006	Light Grey	→ /36

NEXION SPA reserves the right to change the specifications of its products at any time without prior notice. The company declines all responsibility in the event of claims deriving from the use of non-original accessories or spare parts with consequent forfeiture of the EC declaration of conformity.

CAR WHEEL BALANCERS

TECO 620	4
TECO 620 TILT	5
TECO 620 WORKBENCH	6
TECO 660	7
TECO 670	8
TECO 670 PL	9
TECO 670 PLUS - 670 PLUS PL	10
TECO 680	11
TECO 680 PL	12
TECO 680 PLUS	13
TECO 680 PLUS PL	14
TECO 680 PLUS TOUCH	15
TECO 680 PLUS PL TOUCH	16

CAR WHEEL BALANCERS - TOPLINE

TECO 710 & 710 EL	17
TECO 730 & 730 EL	18
TECO 730 TOUCH & 730 EL TOUCH	19
TECO 740 EL "CONTACT-LESS"	20
TECO 750 EL "CONTACT-LESS"	21
OPTIONAL ACCESSORIES	22

TRUCK WHEEL BALANCER FOR MOBILE SERVICE

TECO 900 TRUCK	37
OPTIONAL ACCESSORIES	38

TRUCK WHEEL BALANCERS

TECO 930	39
TECO 94	40
OPTIONAL ACCESSORIES	41

TECO 620



STANDARD ACCESSORIES



FOR
HAND SPIN
VERSION



FOR MOTORIZED
SPIN VERSION



Foot Not Included

Code	Power Supply	Description	
0-21606202/16	100-230V/1Ph/50-60Hz	TECO 620 - Hand Spin - Portable wheel balancer for car tyres, compact in dimensions and weight; specially designed for the mobile service and for workshops having a reduced working space. Manual spin version. Autoselecting 28" automatic wheel sizes detection. Lever operated brake.	
0-21606200/16	200-230V/1Ph/50-60Hz	TECO 620 - Motorized Spin - Portable wheel balancer for car tyres, compact in dimensions and weight; specially designed for the mobile service and for workshops having a reduced working space. Lever-actuated motorized spin version. Autoselecting 28" automatic wheel sizes detection. Lever operated brake.	
0-21606205/16	100-115V/1Ph/50-60Hz	As above but with different power supply	

TECO 620 TILT



STANDARD ACCESSORIES



Code	Power Supply	Description	
0-21606201/16	100-230V/1Ph/50-60Hz	TECO 620 TILT - Hand Spin - Special version for mobile service and for workshops having a reduced working space. Ideal to work inside the van thanks to the possibility of tilting the measuring unit to vertical position. Manual spin version, Autoselecting 28" automatic wheel size detection. Lever operated brake.	

Teco 620 WORKBENCH



STANDARD ACCESSORIES





Code	Power Supply	Description	
0-21606206/16	100-230V/1Ph/50-60Hz	Teco 620 WORKBENCH - Hand Spin. Extremely compact wheel balancer. it can be fixed to a workbench. For hobbyists, small workshops or for mobile service. 28" automatic wheel size detection. Lever operated brake. Manual spin version.	

TECO 660



STANDARD ACCESSORIES



x3



Code	Power Supply	Description	
0-21610510/16	200-230V - 1Ph - 50/60Hz	TECO 660 Display wheel balancer with motorized balancing cycle. To be fixed on floor and standard supplied w/o shaft locking system. Auto-selecting internal gauge with automatic entry of distance and diameter, automatic estimation of wheel width. With wheel cover. Lateral foot optional (kit P).	
0-21610509/16	100-115V - 1Ph - 50/60Hz	TECO 660 Display wheel balancer with motorized balancing cycle. To be fixed on floor and standard supplied w/o shaft locking system. Auto-selecting internal gauge with automatic entry of distance and diameter, automatic estimation of wheel width. With wheel cover. Lateral foot optional (kit P).	
0-21610610/16	200-230V - 1Ph - 50/60Hz	TECO 660 Display wheel balancer with motorized balancing cycle. To be fixed on floor and standard supplied w/o shaft locking system. Auto-selecting internal gauge with automatic entry of distance and diameter, automatic estimation of wheel width. Without wheel cover (no CE). Lateral foot optional (kit P).	
0-21610609/16	100-115V - 1Ph - 50/60Hz	TECO 660 Display wheel balancer with motorized balancing cycle. To be fixed on floor and standard supplied w/o shaft locking system. Auto-selecting internal gauge with automatic entry of distance and diameter, automatic estimation of wheel width. Without wheel cover (no CE). Lateral foot optional (kit P).	

TECO 670



STANDARD ACCESSORIES



Code	Power Supply	Description	
0-21610910/16	200-230V - 1Ph - 50/60Hz	TECO 670 Display wheel balancer with electric shaft locking system and automatic balancing position search. Auto-selecting internal gauge with automatic entry of distance and diameter. Automatic estimation of wheel width. With wheel cover. Lateral foot optional (kit P).	
0-21610909/16	100-115V - 1Ph - 50/60Hz	TECO 670 Display wheel balancer with electric shaft locking system and automatic balancing position search. Auto-selecting internal gauge with automatic entry of distance and diameter. Automatic estimation of wheel width. With wheel cover. Lateral foot optional (kit P).	
0-21611010/16	200-230V - 1Ph - 50/60Hz	TECO 670 Display wheel balancer with electric shaft locking system and automatic balancing position search. Auto-selecting internal gauge with automatic entry of distance and diameter. Automatic estimation of wheel width. Without wheel cover. Lateral foot optional (kit P).	
0-21613910/16	100-115V - 1Ph - 50/60Hz	TECO 670 Display wheel balancer with electric shaft locking system and automatic balancing position search. Auto-selecting internal gauge with automatic entry of distance and diameter. Automatic estimation of wheel width. Without wheel cover. Lateral foot optional (kit P).	

TECO 670 PL



STANDARD ACCESSORIES



Code	Power Supply	Description	
0-21667010/16	200-230V - 1Ph - 50Hz	TECO 670 PL Display wheel balancer with electric shaft locking system and automatic balancing position search. Auto-selecting internal gauge with automatic entry of distance and diameter. Automatic estimation of wheel width and equipped with pneumatic wheel locking system (PL). With wheel cover. Lateral foot optional (kit P).	
0-21667011/16	100-115V - 1Ph - 60Hz	TECO 670 PL Display wheel balancer with electric shaft locking system and automatic balancing position search. Auto-selecting internal gauge with automatic entry of distance and diameter. Automatic estimation of wheel width and equipped with pneumatic wheel locking system (PL). With wheel cover. Lateral foot optional (kit P).	

feco 670 PLUS - 670 PLUS PL



STANDARD ACCESSORIES



Code	Power Supply	Description	
0-21611310/16	200-230V - 1Ph - 50/60Hz	TECO 670 PLUS Extra large chassis Display wheel balancer with electric shaft locking system, auto-selecting internal gauge with automatic entry of distance and diameter. Automatic estimation of wheel width with wheel cover. Lateral foot optional (kit P).	
0-21611309/16	100-115V - 1Ph - 50/60Hz	TECO 670 PLUS Extra large chassis Display wheel balancer with electric shaft locking system, auto-selecting internal gauge with automatic entry of distance and diameter. Automatic estimation of wheel width with wheel cover. Lateral foot optional (kit P).	
0-21614710/16	200-230V - 1Ph - 50/60Hz	TECO 670 PLUS PL Extra large chassis Display wheel balancer with electric shaft locking system, auto-selecting internal gauge with automatic entry of distance and diameter. Automatic estimation of wheel width with wheel cover. Lateral foot optional (kit P).	
0-21614711/16	100-115V - 1Ph - 50/60Hz	TECO 670 PLUS PL Extra large chassis Display wheel balancer with electric shaft locking system, auto-selecting internal gauge with automatic entry of distance and diameter. Automatic estimation of wheel width with wheel cover Lateral foot optional (kit P).	



STANDARD ACCESSORIES



x3




Code	Power Supply	Description	
0-21611710/16	200-230V - 1Ph - 50/60Hz	TECO 680 Electric shaft locking system and automatic balancing position search, auto-selecting internal gauge with automatic entry of distance and diameter. Automatic estimation of wheel width and standard with wheel guard.Without LCD monitor. Lateral foot optional (kit P).	
0-21611709/16	100-115V - 1Ph - 50/60Hz	TECO 680 Electric shaft locking system and automatic balancing position search, auto-selecting internal gauge with automatic entry of distance and diameter. Automatic estimation of wheel width and standard with wheel guard.Without LCD monitor. Lateral foot optional (kit P).	
0-21611810/16	200-230V - 1Ph - 50/60Hz	TECO 680 Electric shaft locking system and automatic balancing position search, auto-selecting internal gauge with automatic entry of distance and diameter. Automatic estimation of wheel width and without wheel guard. Without LCD monitor. Lateral foot optional (kit P).	

TECO 680 PL



STANDARD ACCESSORIES



Code	Power Supply	Description	
0-21614510/16	200-230V - 1Ph - 50/60Hz	TECO 680 PL Pneumatic wheel locking system PL, automatic balancing position search and auto-selecting internal gauge. Automatic estimation of wheel width. Standard supplied without LCD monitor. Lateral foot optional (kit P).	
0-21614509/16	100-115V - 1Ph - 50/60Hz	TECO 680 PL Pneumatic wheel locking system PL, automatic balancing position search and auto-selecting internal gauge. Automatic estimation of wheel width. Standard supplied without LCD monitor. Lateral foot optional (kit P)..	

TECO 680 PLUS



STANDARD ACCESSORIES



x3



x3




Code	Power Supply	Description	
0-21612110/16	200-230V - 1Ph - 50/60Hz	TECO 680 PLUS Extra large chassis and automatic balancing position search. Auto-selecting internal gauge with automatic entry of distance and diameter and automatic estimation of wheel width. Standard supplied without LCD monitor. Lateral foot optional (kit P).	
0-21612109/16	100-115V - 1Ph - 50/60Hz	TECO 680 PLUS Extra large chassis and automatic balancing position search. Auto-selecting internal gauge with automatic entry of distance and diameter and automatic estimation of wheel width. Standard supplied without LCD monitor. Lateral foot optional (kit P)..	
0-21612209/16	100-115V - 1Ph - 50/60Hz	TECO 680 PLUS Extra large chassis and automatic balancing position search. Auto-selecting internal gauge with automatic entry of distance and diameter and automatic estimation of wheel width. Standard supplied without LCD monitor and without wheel cover. Lateral foot optional (kit P).	

TECO 680 PLUS PL



STANDARD ACCESSORIES



Code	Power Supply	Description	
0-21614310/16	200-230V - 1Ph - 50/60Hz	TECO 680 PLUS PL Extra large chassis and automatic balancing position search. Auto-selecting internal gauge with automatic entry of distance and diameter and automatic estimation of wheel width. Standard supplied without LCD monitor. Lateral foot optional (kit P).	
0-21614309/16	100-115V - 1Ph - 50/60Hz	TECO 680 PLUS PL Extra large chassis and automatic balancing position search. Auto-selecting internal gauge with automatic entry of distance and diameter and automatic estimation of wheel width. Standard supplied without LCD monitor. Lateral foot optional (kit P)..	

teco 680 PLUS TOUCH



STANDARD ACCESSORIES



Code	Power Supply	Description	
0-21612111/16	200-230V - 1Ph - 50/60Hz	TECO 680 PLUS Touchscreen with manual wheel locking system, auto-selecting internal gauge, automatic brake at the end of the measurement, RPA with wheel guard.Touchless width sonar sensor NON included.	

TECO 680 PLUS PL TOUCH



STANDARD ACCESSORIES



Code	Power Supply	Description	
0-21614311/16	200-230V - 1Ph - 50/60Hz	TECO 680 PLUS PL Touchscreen with automatic wheel locking system, auto-selecting internal gauge, automatic brake at the end of the measurement, LASER, LED and RPA with wheel guard. Touchless width sonar sensor NON included.	

TECO 710 & 710 EL



STANDARD ACCESSORIES



TECO 710 EL



TECO 710



Code	Power Supply	Description	
0-21609007/16	100/230V - 1Ph - 50/60Hz	TECO 710 Auto-selecting internal gauge with save-spacer wheel cover and automatic bal. position search. Laser Line system and rim illuminator.	
0-21609008/16	100/230V - 1Ph - 50/60Hz	TECO 710 EL Version with electro - mechanical wheel locking system. Auto-selecting internal gauge with save-spacer wheel cover and automatic bal. position search. Laser Line system and rim illuminator.	

TECO 730 & 730 EL



STANDARD ACCESSORIES



TECO 730 EL



TECO 730



Code	Power Supply	Description	
0-21609009/16	100/230V - 1Ph - 50/60Hz	TECO 730 Auto-selecting internal gauge. With save-spacer wheel cover, Laser Line system and rim illuminator. Standard supplied without LCD monitor.	
0-21609010/16	100/230V - 1Ph - 50/60Hz	TECO 730 EL version with electro-mechanical wheel locking system. Auto-selecting internal gauge. With save-spacer wheel cover, Laser Line system and rim illuminator. Standard supplied without LCD monitor.	

TECO 730 TOUCH & 730 EL TOUCH



STANDARD ACCESSORIES



TECO 730 EL



TECO 730



Code	Power Supply	Description	
0-21609020/16	100/230V - 1Ph - 50/60Hz	TECO 730 Touchscreen with 22" industrial Touchscreen monitor, LaserLine indicator, Led illuminator, 28" SmartArm device for automatic data input with FST Fast Selection Program, Lama Laser X function for the selection of the balancing plans, Zero Space wheel guard, Weight Right program included (Sonar sensor and Run-Out kit NOT included).	
0-21609021/16	100/230V - 1Ph - 50/60Hz	TECO 730 EL Touchscreen As above but with pedal operated automatic wheel clamping.	

TECO 740 EL "CONTACT-LESS"



Code	Power Supply	Description	
0-21614911/16	100/230V - 1Ph - 50/60Hz	TECO 740 EL Electronic wheel balancer with high-definition «Touch-Screen» 22" LCD monitor, automatic wheel data acquisition «Contact-Less» system: laser e sonar TS combined, internal laser pointer system and LED, save-spacer wheel guard, "Weight right" program included, electronic wheel locking system.	

TECO 750 EL "CONTACT-LESS"





Code	Power Supply	Description	
0-21609011/16	100/230V - 1Ph - 50/60Hz	TECO 750 EL Electro-mechanical wheel locking EL. «Contact-Less» data entry system. Laser pointer for weight applications and Laser Run-Out measuring system. HD «Touch-Screen» 22" LCD monitor and program «Opti-Drive».	


OPTIONAL ACCESSORIES

[illegible]



OPTIONAL ACCESSORIES

OPTIONAL ACCESSORIES				TECO 620 HS	TECO 620 MOT	TECO 620 TILT	TECO 620 WB	TECO 660	TECO 670	TECO 670 PL	TECO 680 / 680 TOUCH	TECO 680 PL / TOUCH	TECO 710	TECO 710 EL	TECO 730	TECO 730EL	TECO 730 TOUCH	TECO 730EL TOUCH	TECO 740 EL	TECO 750 EL																																										
Image	Description	Code																																																												
MOTORCYCLE CLAMPING ACCESSORIES																																																														
	Ø10 mm centering shaft extra-long 230 mm for possible completion of code 8-21120012 <table><tr><td>1</td><td>SHAFT D. 10 MM</td><td>3-03864</td></tr><tr><td>2</td><td>SPACER</td><td>3-03865</td></tr><tr><td>3</td><td>CENTERING CONE D. 12 ÷ 20 MM</td><td>3-03866</td></tr><tr><td>4</td><td>RING NUT M 10</td><td>3-03867</td></tr></table>	1	SHAFT D. 10 MM	3-03864	2	SPACER	3-03865	3	CENTERING CONE D. 12 ÷ 20 MM	3-03866	4	RING NUT M 10	3-03867	8-21100257		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0																														
1	SHAFT D. 10 MM	3-03864																																																												
2	SPACER	3-03865																																																												
3	CENTERING CONE D. 12 ÷ 20 MM	3-03866																																																												
4	RING NUT M 10	3-03867																																																												
	UPGRADE X-BIKE Ø19 UPGRADE for X-BIKE Ø14 with centring shaft Ø19 (length 260 mm) and specific bushes.. <table><tr><td>1</td><td>CENTERING SLEEVE D. 22 MM</td><td>3-03383</td></tr><tr><td>2</td><td>CENTERING SLEEVE D. 25,4 MM</td><td>3-03384</td></tr><tr><td>3</td><td>CENTERING SLEEVE D. 25 MM</td><td>3-03385</td></tr><tr><td>4</td><td>CENTERING SLEEVE D. 26 MM</td><td>3-03386</td></tr><tr><td>5</td><td>CENTERING SLEEVE D. 28 MM</td><td>3-03387</td></tr><tr><td>6</td><td>CENTERING SLEEVE D. 32 MM</td><td>3-03388</td></tr><tr><td>7</td><td>CENTERING SLEEVE D. 35 MM</td><td>3-03389</td></tr><tr><td>8</td><td>CENTERING SLEEVE D. 30 MM</td><td>3-03390</td></tr><tr><td>9</td><td>SHORT SPACER D. 20 MM</td><td>3-03391</td></tr><tr><td>10</td><td>HARLEY D. PRESSURE SWITCH</td><td>3-03392</td></tr><tr><td>11</td><td>QUICK FIX PER ALBERO D. 19</td><td>3-03393</td></tr><tr><td>12</td><td>M 14 KNURLED NUT</td><td>3-03418</td></tr><tr><td>13</td><td>WHEEL HOLDER SHAFT D. 19 MM</td><td>3-03396</td></tr><tr><td>14</td><td>WALL BOARD</td><td>3-03395</td></tr></table>	1	CENTERING SLEEVE D. 22 MM	3-03383	2	CENTERING SLEEVE D. 25,4 MM	3-03384	3	CENTERING SLEEVE D. 25 MM	3-03385	4	CENTERING SLEEVE D. 26 MM	3-03386	5	CENTERING SLEEVE D. 28 MM	3-03387	6	CENTERING SLEEVE D. 32 MM	3-03388	7	CENTERING SLEEVE D. 35 MM	3-03389	8	CENTERING SLEEVE D. 30 MM	3-03390	9	SHORT SPACER D. 20 MM	3-03391	10	HARLEY D. PRESSURE SWITCH	3-03392	11	QUICK FIX PER ALBERO D. 19	3-03393	12	M 14 KNURLED NUT	3-03418	13	WHEEL HOLDER SHAFT D. 19 MM	3-03396	14	WALL BOARD	3-03395	8-21120013		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1	CENTERING SLEEVE D. 22 MM	3-03383																																																												
2	CENTERING SLEEVE D. 25,4 MM	3-03384																																																												
3	CENTERING SLEEVE D. 25 MM	3-03385																																																												
4	CENTERING SLEEVE D. 26 MM	3-03386																																																												
5	CENTERING SLEEVE D. 28 MM	3-03387																																																												
6	CENTERING SLEEVE D. 32 MM	3-03388																																																												
7	CENTERING SLEEVE D. 35 MM	3-03389																																																												
8	CENTERING SLEEVE D. 30 MM	3-03390																																																												
9	SHORT SPACER D. 20 MM	3-03391																																																												
10	HARLEY D. PRESSURE SWITCH	3-03392																																																												
11	QUICK FIX PER ALBERO D. 19	3-03393																																																												
12	M 14 KNURLED NUT	3-03418																																																												
13	WHEEL HOLDER SHAFT D. 19 MM	3-03396																																																												
14	WALL BOARD	3-03395																																																												



OPTIONAL ACCESSORIES

Image	Description	Code	TECO 620 HS	TECO 620 MOT	TECO 620 TILT	TECO 620 WB	TECO 660	TECO 670	TECO 670 PL	TECO 680 / 680 TOUCH	TECO 680 PL / TOUCH	TECO 710	TECO 710 EL	TECO 730	TECO 730EL	TECO 730 TOUCH	TECO 730EL TOUCH	TECO 740 EL	TECO 750 EL
MOTORCYCLE CLAMPING ACCESSORIES																			
	Ø14 mm centering shaft extra-long 318 mm, for possible completion of cod. 8-21120012.	8-21120016	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Ø19 mm centering shaft extra-long 318 mm, for possible completion of cod. 8-21120012.	8-21120017	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	ML Ø19 Additional module to BIKE UPGRADE KIT for motorcycle wheels with monolever.		8-21120014	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	1	CENTERING SLEEVE DUCATI/TRIUMPH	3-03397																
	2	CENTERING SLEEVE MV AGUSTA/HONDA	3-03398																
	3	CENTERING SLEEVE HONDA GL 1800 / NTV 650	3-03399																
	4	CENTERING SLEEVE APRILIA/BMW/YAMAHA	3-03400																
	5	CENTERING SLEEVE TRIUMPH/HONDA VFR1200	3-03401																
	6	PRESSUR PIECE	3-03402																
	7	CENTERING FLANGE KTM SUPERDUKE+TRIUMPH	3-03403																
	8	SPACING SLEEVE, LONG	3-03404																
	9	CENTERING DISC BMW II (FROM YEAR OF MANUFACTURE 2005) ALSO R V1200 GS	3-03405																
	10	CENTERING DISC BMW I (FROM YEAR OF MANUFACTURE 2005) APART R V1200 GS, MOTO GUZZI (FROM 2008) (INTERNAL Ø 14)	3-03406																

OPTIONAL ACCESSORIES

Image	Description	Code		TECO 620	TECO 620	TECO 620	TECO 620	TECO 660	TECO 670	TECO 670	TECO 680	TECO 680	TECO 710	TECO 710	TECO 730	TECO 730E	TECO 730	TECO 730E	TECO 740	TECO 750	TECO 750																				
CARS AND VANS CLAMPING ACCESSORIES																																									
	FRU-SA D.40 Universal self-centring flange for wheels with ot without central hole hole Ø min. 90 max 210 mm <table><tr><td>FT 1</td><td>CONNECTING ROD WITH PIN</td><td>2401415</td></tr><tr><td>DEB</td><td>CONICAL/SPHERIC NUT FOR WHEEL FIXING</td><td>321878</td></tr><tr><td>CHT6</td><td>T HEXAGONAL KEY CH 6</td><td>4-105877</td></tr><tr><td>RFS</td><td>CALIPER</td><td>441286</td></tr><tr><td>CEP</td><td>HEXAGONAL KEY CH 22</td><td>426517</td></tr><tr><td>CHI 6</td><td>HEXAGONAL KEY CH 6</td><td>600906</td></tr></table>	FT 1	CONNECTING ROD WITH PIN	2401415	DEB	CONICAL/SPHERIC NUT FOR WHEEL FIXING	321878	CHT6	T HEXAGONAL KEY CH 6	4-105877	RFS	CALIPER	441286	CEP	HEXAGONAL KEY CH 22	426517	CHI 6	HEXAGONAL KEY CH 6	600906	8-21100091		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
FT 1	CONNECTING ROD WITH PIN	2401415																																							
DEB	CONICAL/SPHERIC NUT FOR WHEEL FIXING	321878																																							
CHT6	T HEXAGONAL KEY CH 6	4-105877																																							
RFS	CALIPER	441286																																							
CEP	HEXAGONAL KEY CH 22	426517																																							
CHI 6	HEXAGONAL KEY CH 6	600906																																							
	GBP40 EVO KIT - Professional quick nut kit ø40x3mm <table><tr><td>PCF1</td><td>WHEEL PROTECTOR FOR CENTERING ALLOY RIMS</td><td>4-115868</td></tr><tr><td>CF1</td><td>WHEEL CLAMPING CAP</td><td>4-115863</td></tr><tr><td>CD1</td><td>SPACER CAP</td><td>4-115864</td></tr><tr><td>GBP</td><td>QUICK NUT</td><td>5-101561</td></tr><tr><td>GBP1</td><td>CLAMP “R”</td><td>4-104798</td></tr><tr><td>GBP2</td><td>CLAMP “L”</td><td>4-104799</td></tr><tr><td>GBP3</td><td>LEVER</td><td>4-104796</td></tr></table>	PCF1	WHEEL PROTECTOR FOR CENTERING ALLOY RIMS	4-115868	CF1	WHEEL CLAMPING CAP	4-115863	CD1	SPACER CAP	4-115864	GBP	QUICK NUT	5-101561	GBP1	CLAMP “R”	4-104798	GBP2	CLAMP “L”	4-104799	GBP3	LEVER	4-104796	8-21100289		■	■	■	■	■	■	-	■	-	■	-	■	-	■	-	-	-
PCF1	WHEEL PROTECTOR FOR CENTERING ALLOY RIMS	4-115868																																							
CF1	WHEEL CLAMPING CAP	4-115863																																							
CD1	SPACER CAP	4-115864																																							
GBP	QUICK NUT	5-101561																																							
GBP1	CLAMP “R”	4-104798																																							
GBP2	CLAMP “L”	4-104799																																							
GBP3	LEVER	4-104796																																							
	CCK3 EVO KIT - Centering cone kit ø40mm 42÷103,5mm: <table><tr><td>CP1</td><td>SMALL CONE Ø42÷68 MM</td><td>5-107970</td></tr><tr><td>CP2</td><td>MEDIUM CONE Ø60÷87 MM</td><td>5-107968</td></tr><tr><td>CP3</td><td>LARGE CONE Ø83÷103 MM</td><td>5-107969</td></tr></table>	CP1	SMALL CONE Ø42÷68 MM	5-107970	CP2	MEDIUM CONE Ø60÷87 MM	5-107968	CP3	LARGE CONE Ø83÷103 MM	5-107969	8-21100280		■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■												
CP1	SMALL CONE Ø42÷68 MM	5-107970																																							
CP2	MEDIUM CONE Ø60÷87 MM	5-107968																																							
CP3	LARGE CONE Ø83÷103 MM	5-107969																																							
CARS AND VANS CLAMPING ACCESSORIES																																									
	MFS - Standard Threaded Shaft Ø40x3mm – 181,5 mm long	8-21100283		■	■	■	■	■	■	-	■	-	■	-	■	-	■	-	-	-																					
	MFL XL – XL threaded shaft ø40x3mm - 220mm long	8-21100193		0	0	0	0	0	0	-	0	-	0	-	0	-	0	-	-	-																					

OPTIONAL ACCESSORIES

OPTIONAL ACCESSORIES			TECO 620 HS	TECO 620 MOT	TECO 620 TILT	TECO 620 WB	TECO 660	TECO 670	TECO 670 PL	TECO 680 / 680 TOUCH	TECO 680 PL / TOUCH	TECO 710	TECO 710 EL	TECO 730	TECO 730EL	TECO 730 TOUCH	TECO 730EL TOUCH	TECO 740 EL	TECO 750 EL
Image	Description	Code																	
	MBP40 EVO KIT - Locking sleeve kit for electric or pneumatic wheel locking sys 8-21400022 tem:	8-21100285																	
	PCF1	WHEEL PROTECTOR FOR CENTERING ALLOY RIMS	4-115868	-	-	-	-	-	■	-	■	-	■	-	■	-	■	■	■
	CF1	WHEEL CLAMPING CAP	4-115863																
	CD1	SPACER CAP	4-115864																
	QLS	QUICK LOCKING SLEEVE	5-107394																
	Kit with 2 revolving knob	8-21100291	■	o	■	■	o	o	-	o	-	o	-	o	-	o	-	-	-
	VGBP - Handle for wheel ring nut	802260682	o	■	o	o	o	o	-	o	-	o	-	o	-	o	-	-	-
	ARF Accessory for off-road wheels Ø 100 ÷118,5 mm, Ø 100 ÷129,5 mm	8-21100080	o	o	o	o	■	■	■	■	■	■	■	■	■	■	■	■	■
	CGF	OFF-ROAD WHEEL CONE (VANS)	4-103186																
	PCF1	WHEEL PROTECTOR FOR CENTRING ALLOY RIMS	4-115868																
	CF1	WHEEL CLAMPING CAP	4-115863																
CARS AND VANS CLAMPING ACCESSORIES																			
	Centering cone capacity from Ø88 to Ø132 mm.	19131018	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o

OPTIONAL ACCESSORIES

Image	Description	Code		TECO 620 HS	TECO 620 MOT	TECO 620 TILT	TECO 620 WB	TECO 660	TECO 670	TECO 670 PL	TECO 680 / 680 TOUCH	TECO 680 PL / TOUCH	TECO 710	TECO 710 EL	TECO 730	TECO 730EL	TECO 730 TOUCH	TECO 730EL TOUCH	TECO 740 EL	TECO 750 EL
	Centering cone capacity from Ø95 to Ø137 mm.	8-21100096		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	CGA Plastic cap with elastic rubber ring O-Ring Ø 210 mm for clamping alloy rims	802459564		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 DX1 CF1 CF2	DX/CBF Centring accessory for vans and of-road wheels Ø 117÷173 mm.		8-21100141	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	DX1 SPACER	4-107426																		
	CF1 CONE FOR VANS Ø 117÷147 MM	4-107423																		
	CF2 CONE FOR VANS Ø 143÷173 MM	4-107424																		
	G40/VL40 Cone for vans with capacity from Ø120 mm (4,7") to Ø174mm (6,8").	8-11600053		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	SBC Set of six centring bushes ø 40 mm: B1 Ø58-60, B2 Ø56,5-57, B3 Ø63,3-64, B4 Ø64,3-68,8, B5 Ø 71,5-74,6, B6 Ø65,8-67, B7 Ø53,8-56,5 (Ø40).	8-21100082		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CARS AND VANS CLAMPING ACCESSORIES																				
	HPC High Precision Collets centering kit (8 two-faced slightly tapered bushings)	8-21100244		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

OPTIONAL ACCESSORIES

OPTIONAL ACCESSORIES				TECO 620 HS	TECO 620 MOT	TECO 620 TILT	TECO 620 WB	TECO 660	TECO 670	TECO 670 PL	TECO 680 / 680 TOUCH	TECO 680 PL / TOUCH	TECO 710	TECO 710 EL	TECO 730	TECO 730EL	TECO 730 TOUCH	TECO 730EL TOUCH	TECO 740 EL	TECO 750 EL
Image	Description	Code																		
	SDR Set of five special nuts for quick wheel fastening.		802231479																	
	BC	CONICAL BUSHING		431481	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	BOS	SPHERIC BUSH		431482																
	VF	QUICK FIXING SCREW		431480																
	Trolley for HPC kit.		8-21100243/90	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	BMW-MINI KIT Ø66.5, Ø56.5, Ø72.5, Ø74 mm		8-21100228	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	B6	Ø 66.5 MM	4-105103																	
	B11	Ø 56.5 - Ø 72.5 - Ø 74 MM	4-105108																	
CARS AND VANS CLAMPING ACCESSORIES																				
	MERCEDES KIT ø 57 / 60 / 66,1 / 66,42 / 66,50 / 67 / 84 mm		8-21400022		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	B16	Ø 57 / 66,1 / 66,42 / 66,50 / 67 MM	4-138168																	
	B17	Ø 60 / 84 MM	4-138169																	
	FPF-2 BMW Special flange for wheels with central hole (Ø 4x100/5x120/5x112)		8-21100145	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

OPTIONAL ACCESSORIES

Image	Description	Code	TECO 620 HS	TECO 620 MOT	TECO 620 TILT	TECO 620 WB	TECO 660	TECO 670	TECO 670 PL	TECO 680 / 680 TOUCH	TECO 680 PL / TOUCH	TECO 710	TECO 710 EL	TECO 730	TECO 730EL	TECO 730 TOUCH	TECO 730EL TOUCH	TECO 740 EL	TECO 750 EL
 per cerchi a 5 fori. Range bloccaggio 95,25 - 180 mm  Ø 28  Ø 22,5  Ø 22,5  Ø 19	PFM FASTPLATE 5 for 5-hole rims. Clamping range: 95,25 ÷ 180 mm 3-05125 PLANETARY GEAR ASSEMBLY 3-05126 TORQUE TIP B Ø28 L:25MM 3-05127 TORQUE TIP C Ø22,5 L:40MM 3-05128 TORQUE TIP D Ø22,5 L:65MM 3-05129 TORQUE TIP E Ø19 L:40MM	8-21100294	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 per cerchi a 3-4-6-8 fori. Range bloccaggio 95,25 - 180 mm  Ø 28  Ø 22,5  Ø 22,5  Ø 19	PFM FASTPLATE 3-4-6-8 for 3-4-6-8-hole rims. Clamping range : 95,25 ÷ 180 mm 3-05125 PLANETARY GEAR ASSEMBLY 3-05126 TORQUE TIP B Ø28 L:25MM 3-05127 TORQUE TIP C Ø22,5 L:40MM 3-05128 TORQUE TIP D Ø22,5 L:65MM 3-05129 TORQUE TIP E Ø19 L:40MM	8-21100295	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
 8-21100296 PFM FASTPLATE KIT per cerchi a 3-4-5-6-8 fori. Range bloccaggio 95,25 - 180 mm  Ø 28  Ø 22,5  Ø 22,5  Ø 19	PFM FASTPLATE KIT for 3-4-5-6-8-hole rims. (it includes P/N 8-21100294 and P/N 8-21100295) Clamping range: 95,25 ÷ 180 mm 3-05125 PLANETARY GEAR ASSEMBLY 3-05126 TORQUE TIP B Ø28 L:25MM 3-05127 TORQUE TIP C Ø22,5 L:40MM 3-05128 TORQUE TIP D Ø22,5 L:65MM 3-05129 TORQUE TIP E Ø19 L:40MM	8-21100296	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	PFM-C SLEEVE HANDLE Sleeve for wheel balancers with automatic clamping. To be screwed directly to the FASTPLATE to work more comfortably and quickly	8-21100297	-	-	-	-	-	-	0	-	0	-	0	-	0	-	0	0	0
	ARS/DARS Racing accessory for sports wheels, for use with racing bush.	8-21100089	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

OPTIONAL ACCESSORIES

Image	Description	Code		TECO 620 HS	TECO 620 MOT	TECO 620 TILT	TECO 620 WB	TECO 660	TECO 670	TECO 670 PL	TECO 680 / 680 TOUCH	TECO 680 PL / TOUCH	TECO 710	TECO 710 EL	TECO 730	TECO 730EL	TECO 730 TOUCH	TECO 730EL TOUCH	TECO 740 EL	TECO 750 EL
	KIT GLMF Handle spin for flange FRU 345-2.	802244344		0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-
	FPM-I Universal flange kit for wheels with central hole Ø 40 mm.	8-21100152		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	KIT GHIP pneumatic quick ring nut. Installable on all models with threaded Ø 40 mm hub. Accessory with compressed air gun for clamping.	8-21100095		0	0	0	0	0	0	-	0	-	0	-	0	-	0	-	-	-



CALIBRATION AND TECHNICAL SUPPORT SYSTEM


	SLUG Sample weight for calibration.	8-21100221		■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
	CW 100 calibration weight from 100 gr	430573		0	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-

CALIBRATION AND TECHNICAL SUPPORT SYSTEM



	LPC Laser calibrator.	8-21120001		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0
	PFR Weight pliers.	802227308		■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
	ST Adhesive weight remover.	802461006		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

OPTIONAL ACCESSORIES


OPTIONAL ACCESSORIES				TECO 620 HS	TECO 620 MOT	TECO 620 TILT	TECO 620 WB	TECO 660	TECO 670	TECO 670 PL	TECO 680 / 680 TOUCH	TECO 680 PL / TOUCH	TECO 710	TECO 710 EL	TECO 730	TECO 730EL	TECO 730 TOUCH	TECO 730EL TOUCH	TECO 740 EL	TECO 750 EL	
Image	Description	Code																			
SUGGESTED SETTINGS																					
	RRS Sonar RUN-OUT Kit for measuring wheel eccentricity. In touchscreen models, in addition to graphical data visualization, the BESTFIT function is also included.	8-21100254/64		-	-	-	-	-	-	-	-	-	-	-	0	0	0	0	0	-	
	LASER X Kit: Upgrade kit to guide the operator in choosing the rim's inner planes without any errors and with extremely good visibility. Dedicated Plus&Play system	8-21120022		0	0	0	0	0	0	0	0	0	■	■	■	■	■	■	-	-	
	KIT LASER & LIGHT Laser and led Illuminator kit.	8-21100238		-	-	-	-	0	0	0	0	0	-	-	-	-	-	-	-	-	
	Side support panel: accessory holder support panel for centering kits and HPC kits, painted in red color (for wheel balancers already painted in red color RAL 3002 /16). NOT for PLUS version.	8-21100258/16		-	-	-	-	0	0	0	0	0	-	-	-	-	-	-	-	-	
	Side support panel: accessory holder support panel for centering kits and HPC kits, painted in black color (for wheel balancers already painted in other, NOT RAL 3002 /16). NOT for PLUS version.	8-21100258/90		-	-	-	-	0	0	0	0	0	-	-	-	-	-	-	-	-	

OPTIONAL ACCESSORIES				TECO 620 HS	TECO 620 MOT	TECO 620 TILT	TECO 620 WB	TECO 660	TECO 670	TECO 670 PL	TECO 680 / 680 TOUCH	TECO 680 PL / TOUCH	TECO 710	TECO 710 EL	TECO 730	TECO 730EL	TECO 730 TOUCH	TECO 730EL TOUCH	TECO 740 EL	TECO 750 EL
Image	Description	Code																		
	Dispenser kit: easy-to-use dispenser kit for adhesive counterweights coil (also for PLUS version).	8-21100251		-	-	-	-	0	0	0	0	0	-	-	-	-	-	-	-	-
	Adhesive counterweights coil: metal coil 5 gr x 1200 - 6 kg (also for PLUS version)	8-21100252		-	-	-	-	0	0	0	0	0	-	-	-	-	-	-	-	-
	KIT F Clamping brake (also for Teco 66-67).	8-21100191		-	-	-	-	0	-	-	-	-	-	-	-	-	-	-	-	-
	KIT P Foot for installation without anchoring to floor. Maximum wheel weight is limited to 50 Kg with the foot installed (for Teco 66-67-68 too).	8-21100158/90		-	-	-	-	0	0	0	0	0	-	-	-	-	-	-	-	-
	MNT 19 - 19" LCD Monitor (for Teco 68-88 too) (not for Touch version).	8-21100235		-	-	-	-	-	-	-	0	0	-	-	0	0	-	-	-	-
	MNT 22 - 22" LCD Monitor (not for Touch version).	8-21100234		-	-	-	-	-	-	-	0	0	-	-	0	0	-	-	-	-
	Cleaning kit for monitor.	8-21120006		-	-	-	-	-	-	-	0	0	-	-	0	0	0	0	0	0



OPTIONAL ACCESSORIES

Image	Description	Code	TECO 620 HS	TECO 620 MOT	TECO 620 TILT	TECO 620 WB	TECO 660	TECO 670	TECO 670 PL	TECO 680 / 680 TOUCH	TECO 680 PL / TOUCH	TECO 710	TECO 710 EL	TECO 730	TECO 730EL	TECO 730 TOUCH	TECO 730EL TOUCH	TECO 740 EL	TECO 750 EL
SUGGESTED SETTINGS																			
	KIT ROT MNT Adjustable support for 19" and 22" LCD monitor.	8-21600147	-	-	-	-	-	-	-	0	0	-	-	-	-	-	-	-	-
	KIT TE Width wheel measurement. (for Teco 66-67-68 and Teco 77-88 too).	8-21100074	-	-	-	-	0	-	-	-	-	-	-	-	-	-	-	-	-
	KIT TS kit for wheel width measurement by Sonar sensor. Compatible with wheel balancer models produced from July 2024	8-21100293/90	-	-	-	-	-	0	0	0	0	0	0	0	0	0	0	■	-
 LAN CONNECTION KIT	LAN CONNECTION KIT Interconnection kit of the wheel balancer to the company management system network; it allow to view, archive and print remotely the different measurement and diagnostic reports of the diagnostic wheel balancer.	8-21100255	-	-	-	-	-	-	-	-	-	-	-	0	0	0	0	0	0
	RRS Sonar RUN-OUT Kit allows you to check the status of wheel eccentricity through a system of colored icons on the main screen.	8-21100277	-	-	-	-	-	-	-	0	0	-	-	-	-	-	-	-	-
	RSG Anti-splash guard and cone-holder column.	8-11600352	-	-	-	-	-	-	-	-	-	0	0	0	0	0	0	0	-

OPTIONAL ACCESSORIES

OPTIONAL ACCESSORIES				TECO 620 HS	TECO 620 MOT	TECO 620 TILT	TECO 620 WB	TECO 660	TECO 670	TECO 670 PL	TECO 680 / 680 TOUCH	TECO 680 PL / TOUCH	TECO 710	TECO 710 EL	TECO 730	TECO 730EL	TECO 730 TOUCH	TECO 730EL TOUCH	TECO 740 EL	TECO 750 EL	
Image	Description	Code																			
SUGGESTED SETTINGS																					
	KIT STP T750 Printer complete with bracket.	8-11600185		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	0
	PL - side foot for installation without anchoring to floor	8-21101100/90		0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Trolley Kit for an easier handling	8-21101200		0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	AL12 - 12v power supply kit	8-21101000		0	-	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	ASF Kit - Adjustable Stability Foot, optimizes the stability of the wheel balancer in case of accidental contact by the operator	8-21100299		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

OPTIONAL ACCESSORIES

Image	Description	Code		TECO 620 HS	TECO 620 MOT	TECO 620 TILT	TECO 620 WB	TECO 660	TECO 670	TECO 670 PL	TECO 680 / 680 TOUCH	TECO 680 PL / TOUCH	TECO 710	TECO 710 EL	TECO 730	TECO 730EL	TECO 730 TOUCH	TECO 730EL TOUCH	TECO 740 EL	TECO 750 EL
	VC - Voltage Converter 220V to 110V Voltage converter to electrically connect a 110V wheel balancer to a 220V mains voltage. Only for markets that have dual 220V and 110V mains power supplies and for wheel balancers manufactured in 110V.	8-21100292/90		-	-	-	-	0	0	0	0	0	-	-	-	-	-	-	-	-
	TILT kit - to obtain the TILT version; Ideal to work inside the van thanks to the possibility of tilting the measuring unit to vertical position	8-21101300		0	0	■	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	KFTU Kit - anchoring kit to floor (included)	8-21101010		0	0	0	-	0	0	0	0	0	0	0	0	0	0	0	0	0
LIFTERS																				
	WPL80 Professional adjustable scissor wheel lifter, one handed control, 80 kg capacity.	8-21100248		0	0	0	-	0	0	0	0	0	0	0	0	0	0	0	0	0
	APL80 Automatic selfbalancing wheel lifter, 80 kg capacity.	8-21100230		0	0	0	-	0	0	0	0	0	0	0	0	0	0	0	0	0
	EPL80 Universal pneumatic lifter, max load 80 kg	8-21100161		0	0	0	-	0	0	0	0	0	0	0	0	0	0	0	0	0

OPTIONAL ACCESSORIES

Image	Description	Code		TECO 620 HS	TECO 620 MOT	TECO 620 TILT	TECO 620 WB	TECO 660	TECO 670	TECO 670 PL	TECO 680 / 680 TOUCH	TECO 680 PL / TOUCH	TECO 710	TECO 710 EL	TECO 730	TECO 730EL	TECO 730 TOUCH	TECO 730EL TOUCH	TECO 740 EL	TECO 750 EL
 FTT1	FTT1 Mounting kit for EPL80.	8-21100163		-	-	-	-	0	0	0	0	0	-	-	-	-	-	-	-	-
 FTT2	FTT2 Mounting kit for EPL80.	8-21120002		-	-	-	-	-	-	-	-	-	0	0	0	0	0	0	0	0
ACCESSORIES FOR WPL80 E APL80 LIFTERS																				
	KCAPL Mounting kit for WPL80 and APL80. For wheel balancers without EL / PL system.	8-21100231		0	0	0	-	0	0	0	0	0	-	-	-	-	-	-	-	-
	KIT FLAP for WPL80 and APL80 wheel lifter (it allows to mount the lifter on wheel balancers with lateral foot).	8-21600132		0	0	0	-	0	0	0	0	0	-	-	-	-	-	-	-	-

TECO 900 TRUCK




STANDARD ACCESSORIES



Code	Power Supply	Description	
0-21101050/34/16	100-230V - 1Ph - 50Hz	TECO 900 TRUCK Hand spin. Portable wheel balancer for cars, trucks and bus tyres, compact in dimensions and weight; It can be fitted on every type of tyre changer for trucks with 4-arms wheel clamping system. Specially designed for the mobile service and for workshops having a reduced working space.	
8-21600901		Compulsory customizing TECO 900 Truck	


OPTIONAL ACCESSORIES

Image	Description	Code	
	ART40 - Trucks flanges centering kit	8-21900220	
	CAR MATE centering and clamping kit $\varnothing 42 \div 103,5$ mm	8-21100278	
	GGR40 Centering kit $\varnothing 40$ for central hole wheels 183,5÷223 mm - 17,5"-19.5"rims (IVECO-MAN- DAF)	8-21100261	
	Trolley kit for storage stand	8-21101052	
	DTMS Adapter for mounting truck centering accessories, ART 40 EVO, KCT 40 EVO, and ARV 40.	8-21100267	

TECO930



STANDARD ACCESSORIES




Code	Power Supply	Description	
0-21609300/16	200÷230V/1Ph/50-60Hz	TECO 930 MO - Compact motorized truck/bus balancer, Automatic Gauge 28", AWC, automatic brake at the end of the spin; Inverter Technology System; integrated wheel lift	
0-21609302/16	100÷115V/1Ph/50-60Hz	TECO 930 MO - as above but in different voltage	
0-21609301/16	100÷230V/1Ph/50-60Hz	TECO 930 HS - Compact handspin truck/bus balancer, Automatic Gauge 28", AWC, manual brake, integrated wheel lift	

teco94






STANDARD ACCESSORIES




AVAILABLE WHILE STOCKS LAST

Code	Power Supply	Description	
0-21615000/16	200-230V - 1Ph - 50Hz	TECO 94 LED display - motorized machine for truck wheels with automatic data input, including wheel lifter (wheel guard NOT included).	
0-21615001/16	200-230V - 1Ph - 50Hz	TECO 94 LED display - motorized machine for truck wheels with automatic data input, including wheel lifter and wheel guard.	



OPTIONAL ACCESSORIES

OPTIONAL ACCESSORIES					TECO 930 MO	TECO 930 HS	TECO 94
Image	Description	Code					
CENTRING AND CLAMPING							
	ART40 EVO - Premium Heavy-Duty adaptor Kit (10-8-6 hole) Support flange for truck rims with central hole $\varnothing 160/176/200$ mm Support flange for truck rims with central hole $\varnothing 220/280$ mm Pcd: 6 x 205 / 6 x 222 / 6 x 245 / 8 x 275 / 8 x 285 / 10 x 335 / 10 x 285,75 / 10 x 225	8-21100269			o	o	
	KCT40 EVO - Heavy-Duty cone Kit Medium double sided cone, $\varnothing 159 \div 180 / 198 \div 204$ mm Large double sided cone, $\varnothing 220-281$ mm	8-21100268			o	o	
	ARV40 - Premium Medium&Light commercial vehicle adaptor kit (6-hole) MERCEDES : SPRINTER VW : LT 35 / 40 / 46 FORD : TRANSIT IVECO : DAILY NISSAN : NV 400 OPEL : MOVANO 2 RENAULT : MASTER	8-21100270			o	o	


OPTIONAL ACCESSORIES

Image	Description	Code			
			TECO 930 MO	TECO 930 HS	TECO 94
	GGR40 Centering kit $\varnothing$ 40 for central hole wheels 183,5÷223 mm - 17,5"-19.5"rims (IVECO-MAN-DAF)	8-21100261	o	o	
 DX1 CF1 CF2	DX/CBF Centring accessory for vans and of-road wheels $\varnothing$ 117÷173 mm.	8-21100141	o	o	
	ARU40 $\varnothing$ 42÷156 mm (1.65"÷6,14") - recessed spring included	8-21900191	o	o	
	CBG - 2 Alloy wheel clamping cup ($\varnothing$ 220 mm). Suits GTR40 EVO quick nut	8-21100284	o	o	
	GTR40 EVO PRO - Steel quick nut $\varnothing$ 40x4 mm	8-21100275	o		
	GTR40 EVO - Quick nut $\varnothing$ 40x4 mm	8-21100276	o		


OPTIONAL ACCESSORIES

OPTIONAL ACCESSORIES				TECO 930 MO	TECO 930 HS	TECO 94																		
Image	Description	Code																						
	GTR40 EVO HS - Quick nut Ø 40x4 mm with turning handles	8-21100279			o																			
	GTV40 - STANDARD RING NUT	8-21900194		o																				
	GTM40 - Basic ring nut Ø 40x4 mm	8-21100272			o																			
	FRU-SA D.40 Universal self-centring flange for wheels with or without central hole Ø min. 90 max 210 mm <table><tr><td>FT 1</td><td>CONNECTING ROD WITH PIN</td><td>2401415</td></tr><tr><td>DEB</td><td>CONICAL/SPHERIC NUT FOR WHEEL FIXING</td><td>321878</td></tr><tr><td>CHT6</td><td>T HEXAGONAL KEY CH 6</td><td>4-105877</td></tr><tr><td>RFS</td><td>CALIPER</td><td>441286</td></tr><tr><td>CEP</td><td>HEXAGONAL KEY CH 22</td><td>426517</td></tr><tr><td>CHI 6</td><td>HEXAGONAL KEY CH 6</td><td>600906</td></tr></table>	FT 1	CONNECTING ROD WITH PIN	2401415	DEB	CONICAL/SPHERIC NUT FOR WHEEL FIXING	321878	CHT6	T HEXAGONAL KEY CH 6	4-105877	RFS	CALIPER	441286	CEP	HEXAGONAL KEY CH 22	426517	CHI 6	HEXAGONAL KEY CH 6	600906	8-21100091		o	o	
FT 1	CONNECTING ROD WITH PIN	2401415																						
DEB	CONICAL/SPHERIC NUT FOR WHEEL FIXING	321878																						
CHT6	T HEXAGONAL KEY CH 6	4-105877																						
RFS	CALIPER	441286																						
CEP	HEXAGONAL KEY CH 22	426517																						
CHI 6	HEXAGONAL KEY CH 6	600906																						
	TWS40 Truck wheel spacer Ø 40 (30mm - 1.19")	8-21100290		o	o																			


OPTIONAL ACCESSORIES

OPTIONAL ACCESSORIES						TECO 930 MO	TECO 930 HS	TECO 94																	
Image	Description	Code																							
 CT 161CT 221DBT	KCT Basic centring accessory for truck wheels. <table><tr><td>DBT</td><td>DOUBLE SIDED TRUCK WHEEL SUPPORT SPACER FLANGE</td><td>345160</td></tr><tr><td>CT 161</td><td>MEDIUM DOUBLE SIDED CONE, Ø159 +180 / 198 +204 MM</td><td>345161</td></tr><tr><td>CT 221</td><td>LARGE DOUBLE SIDED CONE, Ø220-281 MM</td><td>345162</td></tr></table>	DBT	DOUBLE SIDED TRUCK WHEEL SUPPORT SPACER FLANGE	345160	CT 161	MEDIUM DOUBLE SIDED CONE, Ø159 +180 / 198 +204 MM	345161	CT 221	LARGE DOUBLE SIDED CONE, Ø220-281 MM	345162	802245159					o									
DBT	DOUBLE SIDED TRUCK WHEEL SUPPORT SPACER FLANGE	345160																							
CT 161	MEDIUM DOUBLE SIDED CONE, Ø159 +180 / 198 +204 MM	345161																							
CT 221	LARGE DOUBLE SIDED CONE, Ø220-281 MM	345162																							
	CT223 Accessory for centre hole wheels from 190 to 223mm, rims 17,5-19,5. Use with KCT.	8-21100222						o																	
FAT 1PT  MFE  FAT 2PMT  RFT 	SCT Professional centring accessory for truck wheels. (Ø160 mm a Ø280 mm). <table><tr><td>FAT 1</td><td>SUPPORT FLANGE FOR TRUCK RIMS WITH HOLE Ø160/176/200 MM</td><td>339635</td></tr><tr><td>FAT 2</td><td>SUPPORT FLANGE FOR TRUCK RIMS WITH HOLE Ø220/280 MM</td><td>339636</td></tr><tr><td>PT</td><td>PIN FOR CENTRING TRUCK WHEELS WITH Ø18-35 MM FASTENER SCREW HOLES</td><td>339668</td></tr><tr><td>PMT</td><td>MAXI PIN FOR CENTRING TRUCK WHEELS WITH Ø28-47 MM FASTENER SCREW HOLES</td><td>341818</td></tr><tr><td>MFE</td><td>HUB WITH FLANGE</td><td>239655</td></tr><tr><td>RFT</td><td>HOLE DETECTOR FOR MEASURING</td><td>245514</td></tr></table>	FAT 1	SUPPORT FLANGE FOR TRUCK RIMS WITH HOLE Ø160/176/200 MM	339635	FAT 2	SUPPORT FLANGE FOR TRUCK RIMS WITH HOLE Ø220/280 MM	339636	PT	PIN FOR CENTRING TRUCK WHEELS WITH Ø18-35 MM FASTENER SCREW HOLES	339668	PMT	MAXI PIN FOR CENTRING TRUCK WHEELS WITH Ø28-47 MM FASTENER SCREW HOLES	341818	MFE	HUB WITH FLANGE	239655	RFT	HOLE DETECTOR FOR MEASURING	245514	802239637					o
FAT 1	SUPPORT FLANGE FOR TRUCK RIMS WITH HOLE Ø160/176/200 MM	339635																							
FAT 2	SUPPORT FLANGE FOR TRUCK RIMS WITH HOLE Ø220/280 MM	339636																							
PT	PIN FOR CENTRING TRUCK WHEELS WITH Ø18-35 MM FASTENER SCREW HOLES	339668																							
PMT	MAXI PIN FOR CENTRING TRUCK WHEELS WITH Ø28-47 MM FASTENER SCREW HOLES	341818																							
MFE	HUB WITH FLANGE	239655																							
RFT	HOLE DETECTOR FOR MEASURING	245514																							
	G46/VL46 Cone for vans with capacity from Ø120 mm (4,7") to Ø174 mm (6,8").	2202142						o																	



OPTIONAL ACCESSORIES

OPTIONAL ACCESSORIES				TECO 930 MO	TECO 930 HS	TECO 94																	
Image	Description	Code																					
	SCA Clamping accessories for car and van wheels having capacity from Ø47 mm (1,9") to Ø165 mm (6,5").	2200556				0																	
	FRU-SA D.46 Universal quick adapter for car and van wheels having 3,4,5 or multiple holes. <table border="1"><tr><td>FT 1</td><td>CONNECTING ROD WITH PIN</td><td>4-135110</td></tr><tr><td>DEB</td><td>DOUBLE SIDED (CONICAL AND SPHERICAL) NUT FOR FASTENING WHEELS</td><td>321878</td></tr><tr><td>RFS</td><td>HOLE DETECTOR FOR MEASURING WHEEL FASTENER HOLE DISTANCE</td><td>441286</td></tr><tr><td>CEP</td><td>HEXAGONAL KEY CH 22</td><td>426517</td></tr><tr><td>CHI6</td><td>HEXAGONAL KEY CH6</td><td>600906</td></tr><tr><td>CHT6</td><td>T-HEXAGONAL KEY CH6</td><td>4-105877</td></tr></table>	FT 1	CONNECTING ROD WITH PIN	4-135110	DEB	DOUBLE SIDED (CONICAL AND SPHERICAL) NUT FOR FASTENING WHEELS	321878	RFS	HOLE DETECTOR FOR MEASURING WHEEL FASTENER HOLE DISTANCE	441286	CEP	HEXAGONAL KEY CH 22	426517	CHI6	HEXAGONAL KEY CH6	600906	CHT6	T-HEXAGONAL KEY CH6	4-105877	8-21100256			0
FT 1	CONNECTING ROD WITH PIN	4-135110																					
DEB	DOUBLE SIDED (CONICAL AND SPHERICAL) NUT FOR FASTENING WHEELS	321878																					
RFS	HOLE DETECTOR FOR MEASURING WHEEL FASTENER HOLE DISTANCE	441286																					
CEP	HEXAGONAL KEY CH 22	426517																					
CHI6	HEXAGONAL KEY CH6	600906																					
CHT6	T-HEXAGONAL KEY CH6	4-105877																					
	KIT GLMF hand spin handle for FRU 345-2 flange.	802244344		-	0	-																	
	GVR Quick ring nut Ø 46 mm for trucks and cars.	802443938		-	-	0																	
	GVA Basic ring nut Ø 46 mm for trucks and cars..	802239121		-	-	0																	
ADDITIONAL ACCESSORIES																							
	PR/T Complete wheel guard.	8-21600176		-	-	0																	

OPTIONAL ACCESSORIES

Image	Description	Code		TECO 930 MO	TECO 930 HS	TECO 94
	PFR Weight pliers..	802227308		■	■	o
	ST Adhesive weight remover.	802461006		o	o	o
	AL12 - 12v power supply kit	8-21101000		-	o	-
	TRUCK TROLLEY KIT for an easier handling	8-21101400		o	o	-
	ROLL-BAR KIT - Side protection	8-21101401		o	o	-
	ACCESSORY RACK	8-21101402		o	o	o

OPTIONAL ACCESSORIES

Image	Description	Code		TECO 930 MO	TECO 930 HS	TECO 94
	Laser & Led kit.	8-21100238		o	o	-
	LASER BLADE KIT: Upgrade kit to guide the operator in choosing the rim's inner planes without any errors and with extremely good visibility	8-21120022		o	o	-
	KFTU Kit anchoring kit to floor (included)	8-21101010		■	■	-
	TWG Wheel guard kit with support	8-21100298/90		o	-	-



NEXION SPA - ITALY -

AUTOMOTIVE EQUIPMENT www.tecoautomotive.com - teco@teco.it

Sede operativa: Via Dinazzano, n. 4 - 42015 Prato di Correggio (RE) ITALY - Tel.: +39 0522 631562 - Fax +39 0522 642373

Cod. DPTC000189_WB_EX_03_2025