




ELECTRO-MECHANICAL LIFT
TECO 3022 CBP

ELECTRO-MECHANICAL LIFT

Two-column with base



3000



Technical characteristics

- Columns: high rigidity
- Carriages: on GSM (BM) guides
- Arms: interchangeables
- Chain: double guide
- Basement: demountable
- Limit switches: protected
- Female-screw wear control
- Automatic control of: chain, carriages, arms and columns adjustment legs

Technical data

MAX. CAPACITY

3000 Kg

POWER SUPPLY

230/400V - 3Ph - 50/60Hz

ELECTRIC MOTOR POWER

3,6kW


Arms

Two-stage asymmetric arms



Pad

Threaded pad for height adjustment



Accessories



8-43100151

Anchor set (4+4 pieces)

Recommended accessories




8-43100153

Pad extension set (4 pieces)
h=150 mm

8-43100154



Pad extension set (4 pieces)
h=200 mm



8-43100165

Set of 4 scissor pads

Dimensions



*For other optional accessories, refer to separate catalogue



www.tecoautomotive.com

TECO is a brand of the NEXION SpA group
 Via Strada Statale 468, n. 9 - 42015 Correggio (RE)
 Sede operativa: Via Dinazzano, 4 - 42015 Prato (RE)
 +39 0522 736087 | teco@teco.it

